L Number	Hits	Search Text	DB	Time stamp
1	17011	transport$3 near container	USPAT; JPO; DERWENT	2004/05/18 10:11
2	10462	transport$3 adj container	USPAT; JPO; DERWENT	2004/05/18 10:09
3	168	(transport$3 adj container) and conveyer	USPAT; JPO; DERWENT	2004/05/18 10:10
4	2	((transport$3 adj container) and conveyer) and (disk adj drive)	USPAT; JPO; DERWENT	2004/05/18 10:09
5	1	((transport$3 adj container) and conveyer) and 29/$.ccls.	USPAT; JPO; DERWENT	2004/05/18 10:11
6	59	((magnetic adj head) or slider or transducer) same transport$3 near container	USPAT; JPO; DERWENT	2004/05/18 12:17
7	0	coat$3 with ((magnetic adj head) or slider or transducer) with rework$3	USPAT; JPO; DERWENT	2004/05/18 10:22
8	31	((magnetic adj head) or slider or transducer) with rework$3	USPAT; JPO; DERWENT	2004/05/18 10:23
9	0	(protect$ adj coat$3) with (fluorcarbon adj polymer)	USPAT; JPO; DERWENT	2004/05/18 11:35
11	2	coat$3 near (fluorcarbon adj polymer)	USPAT; JPO; DERWENT	2004/05/18 11:35
10	30	fluorcarbon adj polymer	USPAT; JPO; DERWENT	2004/05/18 11:36
12	38951	((magnetic adj head) or slider or transducer) same stor$3	USPAT; JPO; DERWENT	2004/05/18 11:57
14	1491	((magnetic adj head) or slider or transducer) near stor$3	USPAT; JPO; DERWENT	2004/05/18 11:58
15	255	(((magnetic adj head) or slider or transducer) near stor$3) and (disk adj drive)	USPAT; JPO; DERWENT	2004/05/18 11:59
17	0	stroing adj transducer	USPAT; JPO; DERWENT	2004/05/18 12:00
18	0	stroing adj slider	USPAT; JPO; DERWENT	2004/05/18 11:59
19	52	storing adj transducer	USPAT; JPO; DERWENT	2004/05/18 12:00
22	10	(US-6700746-$ or US-4716483-$ or US-4396963-$ or US-6493184-$ or US-5793566-$ or US-6351353-$ or US-5969906-$ or US-4775586-$ or US-5948532-$ or US-6532134-$).did.	USPAT	2004/05/18 12:13
23	0	((US-6700746-$ or US-4716483-$ or US-4396963-$ or US-6493184-$ or US-5793566-$ or US-6351353-$ or US-5969906-$ or US-4775586-$ or US-5948532-$ or US-6532134-$).did.) and corrosion	USPAT; JPO; DERWENT	2004/05/18 12:14
24	26	corrosion and rework$3 and (disk adj drive)	USPAT; JPO; DERWENT	2004/05/18 12:17
25	3669	coat$3 same carbon same corrosion	USPAT; JPO; DERWENT	2004/05/18 12:20

26	82	(coat$3 same carbon same corrosion) and (disk adj drive)	USPAT; JPO; DERWENT	2004/05/18 12:21
27	209	(coat$3 same carbon same corrosion) and ((magnetic adj head) or slider or transducer)	USPAT; JPO; DERWENT	2004/05/18 12:18
28	3586	"275" and (disk adj drive)	USPAT; JPO; DERWENT	2004/05/18 12:18
29	68	((coat$3 same carbon same corrosion) and ((magnetic adj head) or slider or transducer)) and (disk adj drive)	USPAT; JPO; DERWENT	2004/05/18 12:18
30	2238	coat$3 same silicon same corrosion	USPAT; JPO; DERWENT	2004/05/18 12:20
31	21	(coat$3 same silicon same corrosion) and (disk adj drive)	USPAT; JPO; DERWENT	2004/05/18 12:21
32	131	((remov$3 near ((head adj element) or slider or transducer or (magnetic adj head)))) and (repair$3 or rework$3)	USPAT; JPO; DERWENT	2004/05/18 13:08
-	907	29/603.02,603.03,603.07,603.13,885,426.2,426.3.ccls.	USPAT; JPO; DERWENT	2004/05/18 10:07
-	807	remov$3 near (disk adj drive)	USPAT; JPO; DERWENT	2004/05/14 10:01
-	584	remov$3 adj (disk adj drive)	USPAT; JPO; DERWENT	2004/05/14 10:03
-	4	29/603.02,603.03,603.07,603.13,885,426.2,426.3.ccls. and (remov$3 adj (disk adj drive))	USPAT; JPO; DERWENT	2004/05/14 10:02
-	159	open$3 adj (disk adj drive)	USPAT; JPO; DERWENT	2004/05/14 10:04
-	13	remov$3 adj (head adj element)	USPAT; JPO; DERWENT	2004/05/14 10:06
-	0	(open$3 adj (disk adj drive)) and (remov$3 adj (head adj element))	USPAT; JPO; DERWENT	2004/05/14 10:03
-	1	29/603.02,603.03,603.07,603.13,885,426.2,426.3.ccls. and (open$3 adj (disk adj drive))	USPAT; JPO; DERWENT	2004/05/14 10:04
-	72	rework$3 with (disk adj drive)	USPAT; JPO; DERWENT	2004/05/14 10:04
-	0	(open$3 adj (disk adj drive)) and (rework$3 with (disk adj drive))	USPAT; JPO; DERWENT	2004/05/14 10:04
-	4001	open$3 with (disk adj drive)	USPAT; JPO; DERWENT	2004/05/14 10:04
-	347	open$3 near (disk adj drive)	USPAT; JPO; DERWENT	2004/05/14 10:04
-	30	remov$3 near (head adj element)	USPAT; JPO; DERWENT	2004/05/14 10:05
-	0	(open$3 near (disk adj drive)) and (remov$3 near (head adj element))	USPAT; JPO; DERWENT	2004/05/14 10:05
-	1	remov$3 near element near (disk adj drive)	USPAT; JPO; DERWENT	2004/05/14 10:06

-	282	(head adj element) same (disk adj drive)	USPAT; JPO; DERWENT	2004/05/14 10:06
-	8356	((head adj element) or slider or transducer) same (disk adj drive)	USPAT; JPO; DERWENT	2004/05/14 10:07
-	13561	((head adj element) or slider or transducer or (magnetic adj head)) same (disk adj drive)	USPAT; JPO; DERWENT	2004/05/14 10:27
-	1996	remov$3 near ((head adj element) or slider or transducer or (magnetic adj head))	USPAT; JPO; DERWENT	2004/05/14 10:11
-	3	remov$3 near ((head adj element) or slider or transducer or (magnetic adj head)) near (disk adj drive)	USPAT; JPO; DERWENT	2004/05/14 11:20
-	40237	protect$3 adj coat$3	USPAT; JPO; DERWENT	2004/05/14 10:13
-	45	(protect$3 adj coat$3) near ((head adj element) or slider or transducer or (magnetic adj head))	USPAT; JPO; DERWENT	2004/05/14 10:11
-	6	(remov$3 near ((head adj element) or slider or transducer or (magnetic adj head))) and ((protect$3 adj coat$3) near ((head adj element) or slider or transducer or (magnetic adj head)))	USPAT; JPO; DERWENT	2004/05/14 10:11
-	52773	protect$3 near coat$3	USPAT; JPO; DERWENT	2004/05/14 10:14
-	41	(remov$3 near ((head adj element) or slider or transducer or (magnetic adj head))) and (protect$3 near coat$3)	USPAT; JPO; DERWENT	2004/05/14 10:14
-	16576	(disk adj drive) same (hous$3 or cas$3)	USPAT; JPO; DERWENT	2004/05/14 10:15
-	80	(remov$3 near ((head adj element) or slider or transducer or (magnetic adj head))) and ((disk adj drive) same (hous$3 or cas$3))	USPAT; JPO; DERWENT	2004/05/14 10:15
-	8	(protect$3 near coat$3) and ((remov$3 near ((head adj element) or slider or transducer or (magnetic adj head))) and ((disk adj drive) same (hous$3 or cas$3)))	USPAT; JPO; DERWENT	2004/05/14 10:24
-	13	("3928672" | "5136775" | "5159508" | "5175658" | "5198934" | "5305165" | "5323283" | "5336550" | "5384195" | "5388017" | "5473486" | "5781376" | "6117283").PN.	USPAT	2004/05/14 10:24
-	0	rework$3 near ((head adj element) or slider or transducer or (magnetic adj head)) near (disk adj drive)	USPAT; JPO; DERWENT	2004/05/14 10:25
-	0	rework$3 near ((head adj element) or slider or transducer or (magnetic adj head)) same (disk adj drive)	USPAT; JPO; DERWENT	2004/05/14 10:26
-	2	rework$3 near ((head adj element) or slider or transducer or (magnetic adj head))	USPAT; JPO; DERWENT	2004/05/14 10:26
-	137	rework$3 same (disk adj drive)	USPAT; JPO; DERWENT	2004/05/14 10:27
-	432473	((head adj element) or slider or transducer or (magnetic adj head))	USPAT; JPO; DERWENT	2004/05/14 10:27
-	103	(rework$3 same (disk adj drive)) and (((head adj element) or slider or transducer or (magnetic adj head)))	USPAT; JPO; DERWENT	2004/05/14 10:27
-	22	(rework$3 same (disk adj drive)) same (((head adj element) or slider or transducer or (magnetic adj head)))	USPAT; JPO; DERWENT	2004/05/14 10:34
-	141	opening adj (disk adj drive)	USPAT; JPO; DERWENT	2004/05/14 10:38

-	8	(remov$3 near ((head adj element) or slider or transducer or (magnetic adj head))) and (opening adj (disk adj drive))	USPAT; JPO; DERWENT	2004/05/14 10:34
-	8	opening adj (disk adj drive adj hous$3)	USPAT; JPO; DERWENT	2004/05/14 10:38
-	0	(protect$3 near coat$3) and (corrosion and rework$3 and (disk adj drive))	USPAT; JPO; DERWENT	2004/05/14 11:14
-	13	(corrosion and rework$3 and (disk adj drive)) and coat$3	USPAT; JPO; DERWENT	2004/05/18 12:17
-	1996	(remov$3 near ((head adj element) or slider or transducer or (magnetic adj head)))	USPAT; JPO; DERWENT	2004/05/14 11:22
-	15	29/603.02,603.03,603.07,603.13,885,426.2,426.3.ccls. and ((remov$3 near ((head adj element) or slider or transducer or (magnetic adj head))))	USPAT; JPO; DERWENT	2004/05/14 11:22
-	229301	repair$3 or rework$3	USPAT; JPO; DERWENT	2004/05/14 11:23
-	14	((((remov$3 near ((head adj element) or slider or transducer or (magnetic adj head)))) and (repair$3 or rework$3)) and (disk adj drive)	USPAT; JPO; DERWENT	2004/05/14 11:23
-	14	29/426.2,426.3.ccls. and disassemble	USPAT; JPO; DERWENT	2004/05/17 09:03
-	0	(29/426.2,426.3.ccls. and disassemble) and (disk adj drive)	USPAT; JPO; DERWENT	2004/05/17 09:12
-	19	disassembl$2 adj (disk adj drive)	USPAT; JPO; DERWENT	2004/05/17 09:02
-	7	4716483.URPN.	USPAT	2004/05/17 09:00
-	0	(disassembl$2 near (disk adj drive)) same (protect$3 near coat$3)	USPAT; JPO; DERWENT	2004/05/17 09:03
-	288	29/426.2,426.3.ccls.	USPAT; JPO; DERWENT	2004/05/17 09:03
-	1	29/426.2,426.3.ccls. and (disk adj drive)	USPAT; JPO; DERWENT	2004/05/17 09:03
-	21	(disassembl$2 near (disk adj drive))	USPAT; JPO; DERWENT	2004/05/17 09:04
-	3	((disassembl$2 near (disk adj drive))) and rework$4	USPAT; JPO; DERWENT	2004/05/17 09:04
-	1582	remov$3 same (hous$3 or cover) same (disk adj drive)	USPAT; JPO; DERWENT	2004/05/17 09:05
-	413	(remov$3 near (hous$3 or cover)) same (disk adj drive)	USPAT; JPO; DERWENT	2004/05/17 09:05
-	16270	apply$3 same protect$3 same coat$3	USPAT; JPO; DERWENT	2004/05/17 09:23
-	1623	apply$3 near protect$3 near coat$3	USPAT; JPO; DERWENT	2004/05/17 09:11
-	4	(apply$3 near protect$3 near coat$3) and (((head adj element) or slider or transducer) same (disk adj drive))	USPAT; JPO; DERWENT	2004/05/17 09:09
-	34	(apply$3 near protect$3 near coat$3) and ((head adj element) or slider or transducer)	USPAT; JPO; DERWENT	2004/05/17 09:09

-		1	((remov$3 near (hous$3 or cover)) same (disk adj drive)) and ((apply$3 near protect$3 near coat$3) and ((head adj element) or slider or transducer))	USPAT; JPO; DERWENT	2004/05/17 09:09
-		1	(apply$3 near protect$3 near coat$3) same ((head adj element) or slider or transducer)	USPAT; JPO; DERWENT	2004/05/17 09:11
-		53	(apply$3 same protect$3 same coat$3) same ((head adj element) or slider or transducer)	USPAT; JPO; DERWENT	2004/05/17 09:12
-		9	((apply$3 same protect$3 same coat$3) same ((head adj element) or slider or transducer)) and (disk adj drive)	USPAT; JPO; DERWENT	2004/05/17 09:22
-		2	("4949207").PN.	USPAT; JPO; DERWENT	2004/05/17 09:21
-		56	rework same ((head adj element) or slider or transducer)	USPAT; JPO; DERWENT	2004/05/17 09:21
-		99	rework$3 same ((head adj element) or slider or transducer)	USPAT; JPO; DERWENT	2004/05/17 09:21
-		0	(apply$3 near protect$3 near coat$3) and (rework$3 same ((head adj element) or slider or transducer))	USPAT; JPO; DERWENT	2004/05/17 09:21
-		0	(apply$3 same protect$3 same coat$3) and (rework$3 same ((head adj element) or slider or transducer))	USPAT; JPO; DERWENT	2004/05/17 09:22
-		0	((rework$3 same ((head adj element) or slider or transducer)) and (disk adj drive)) and (protective adj coating)	USPAT; JPO; DERWENT	2004/05/17 09:22
-		0	((rework$3 same ((head adj element) or slider or transducer)) and (disk adj drive)) and corrosion	USPAT; JPO; DERWENT	2004/05/17 09:23
-		1818	apply$3 same protect$3 same coat$3 same corrosion	USPAT; JPO; DERWENT	2004/05/17 09:23
-		0	(rework$3 same ((head adj element) or slider or transducer)) and (apply$3 same protect$3 same coat$3 same corrosion)	USPAT; JPO; DERWENT	2004/05/17 09:23
-		52	(rework$3 same ((head adj element) or slider or transducer)) and (disk adj drive)	USPAT; JPO; DERWENT	2004/05/17 09:37
-		15	("4520555" | "4761699" | "4789914" | "5657186" | "5781379" | "5856896" | "5875071" | "5880908" | "5883759" | "5896247" | "5896248" | "5914834" | "5982585" | "6078473" | "6122149").PN.	USPAT	2004/05/17 09:30
-		110	4761699.URPN.	USPAT	2004/05/17 09:31
-		12	5821494.URPN.	USPAT	2004/05/17 09:33
-		20	("3463898" | "4761699" | "4789914" | "4893742" | "4970365" | "4996623" | "5001583" | "5124277" | "5172851" | "5177860" | "5187623" | "5193738" | "5298715" | "5299729" | "5327310" | "5366692" | "5384090" | "5530604" | "5680275" | "5699212").PN.	USPAT	2004/05/17 09:34
-		9	("4761699" | "4789914" | "5530604" | "5757585" | "5821494" | "5828031" | "5889636" | "6036813" | "6382499").PN.	USPAT	2004/05/17 09:35
-		20	("3463898" | "4761699" | "4789914" | "4893742" | "4970365" | "4996623" | "5001583" | "5124277" | "5172851" | "5177860" | "5187623" | "5193738" | "5298715" | "5299729" | "5327310" | "5366692" | "5384090" | "5530604" | "5680275" | "5699212").PN.	USPAT	2004/05/17 09:36
-		0	replac$3 near slider near solder	USPAT; JPO; DERWENT	2004/05/17 09:37
-		0	remov$3 near slider near solder	USPAT; JPO; DERWENT	2004/05/17 09:38

-	0	remov$3 near ((head adj element) or slider or transducer) near solder	USPAT; JPO; DERWENT	2004/05/17 09:39
-	0	remov$3 near (magnetic adj head) near solder	USPAT; JPO; DERWENT	2004/05/17 09:39
-	0	replac$3 near (magnetic adj head) near solder	USPAT; JPO; DERWENT	2004/05/17 09:39
-	140	remov$3 same ((head adj element) or slider or transducer) same solder	USPAT; JPO; DERWENT	2004/05/17 09:42
-	41	replac$3 same ((head adj element) or slider or transducer) same solder	USPAT; JPO; DERWENT	2004/05/17 09:42
-	388	solder adj ball adj bond$3	USPAT; JPO; DERWENT	2004/05/17 09:47
-	4	slider same (solder adj ball adj bond$3)	USPAT; JPO; DERWENT	2004/05/17 09:47
-	50	remov$3 same (solder adj ball adj bond$3)	USPAT; JPO; DERWENT	2004/05/17 09:48
-	2	rework$3 near slider	USPAT; JPO; DERWENT	2004/05/17 10:13
-	103	rework$3 same (slider or (magnetic adj head) or transducer)	USPAT; JPO; DERWENT	2004/05/17 10:14
-	6	"5996199"	USPAT; JPO; DERWENT	2004/05/17 14:37